



Specification:  
 Conductor: 14/0.30  
 Amp Cap: 8.75  
 T W 800727  
 Cross Section:  
 Area: 1.0sq.mm  
 Nominal O/D: 2.7mm  
 Usage:  
 Interior & nav lights  
 E3001 .48P per mtr  
 E3001 25.17 per 50mtr coil



Specification:  
 Conductor: 28/0.30  
 Amp Cap: 17.5  
 TW 800747  
 Cross Section:  
 Area: 2.0sq.mm  
 Nominal O/D: 3.04  
 Usage:  
 lights, Searchlights  
 E3002 .81P per mtr  
 E3002 42.44 per 50mtr coil



Specification:  
 Conductor: 44/0.30  
 Amp Cap: 27.50  
 TW 800767  
 Cross Section:  
 Area: 3.0sq.mm  
 Nominal O/D: 4.2mm  
 Usage:  
 Suggestions: Battery Feed  
 E3003 1.29 per mtr  
 E3003 67.26 per 50mtr coil



Specification:  
 Conductor: 65/0.30  
 Amp Cap: 35.00  
 TW 800787  
 Cross Section:  
 Area: 4.5sq.mm  
 Nominal O/D: 5.1mm  
 Usage:  
 Suggestions: Battery Feed  
 E3004 1.94 per mtr  
 E3004 60.05 per 30mtr coil



Specification:  
 Conductor: 84/0.30  
 Amp Cap: 42.  
 TW 800797  
 Cross Section:  
 Area: 6.0sq.mm  
 Nominal O/D: 5.9 mm  
 Usage:  
 Dynamo ammeter etc.  
 E3005 2.83 per mtr  
 E3005 91.78 per 30mtr coil



Specification:  
 Conductor: 97/0.30  
 Amp Cap: 50.00  
 Cross Section:  
 Area: 7.0sq.mm  
 Nominal O/D: 6.2mm  
 Usage:  
 : Dynamo.  
 E3006 3.09 per mtr  
 E3006 91.30 per 30mtr coil



Specification:  
 Conductor: 120/0.30  
 Amp Cap: 60.00  
 TW 800807  
 Cross Section:  
 Area: 8.5sq.mm  
 Nominal O/D: 7.0mm  
 Usage:  
 Suggestions: Heavy Duty  
 E3007 3.40 per mtr  
 E3007 106.78 per 30mtr coil



Specification:  
 Conductor:  
 Amp Cap: 70.00  
 TW 800807  
 Cross Section:  
 Area: 10sq.mm  
 Nominal O/D: 6.0mm  
 Usage:  
 Suggestions: Dynamo.  
 E3008 3.99 A1 PER MTR  
 DISC



Specification:  
 Conductor: 126/04  
 Amp Cap: 110  
 Cross Section:  
 Area:16.0sq.mm  
 Nominal O/D: 7.9mm  
 Usage:  
 Suggestions: Dynamo.  
 E3009 4.26 PER MTR